



KENYA ACCREDITATION SERVICE

P. O. Box 47400-00100, TEL. +254-787-395679, +254-725-227640 Nairobi, Kenya
Email: info@kenyaaccreditation.org Web: www.kenas.go.ke

SCHEDULE OF ACCREDITATION

SBC UGANDA LIMITED

ISO/IEC 17025:2017

Testing Laboratory Number: **KENAS/TL/67**

PERMANENT ADDRESS OF LABORATORY

Kabaale International Airport, Hoima District, Western Uganda,
P. O. Box 11713,
Kampala. Uganda.

Tel: +256 392 175 246/ +256 789 567 920/ +256 771 301 622

Email Address: sbc@sbc-uganda.com

Laboratory Contact Person

Slobodan Blagojevic

Approved by: _____

KENAS CEO/Authorized Representative

Date: 28-Oct-2021



KENYA ACCREDITATION SERVICE

P. O. Box 47400-00100, TEL. +254-787-395679, +254-725-227640 Nairobi, Kenya

Email: info@kenyaaccreditation.org Web: www.kenas.go.ke

SCHEDULE OF ACCREDITATION

No.	Testing Field	Type of Test	Test Method	Test Object / Matrix	Test Parameter	Measurement Range	Test Location
1.	Civil Engineering	Physical	ASTM C136	Aggregates/ Rock	Particle Size Distribution	0.1 to 100%	SBC Laboratory and Various Sites
			ASTM C566		Moisture Content	> 0.1%	
			ASTM C128 / ASTM C127		Particle Density	> 0.1g/cm ³	
					Water Absorption	> 0.1%	
			ASTM C131		Los Angeles Abrasion Value	0.1 to 100%	
			ASTM C117		Fines Content	0.1 to 100%	
			ASTM C4791		Flat and Elongated Particles	0.1 to 100%	
			ASTM C172	Concrete / Concrete Cylinders / Concrete Beams	Sampling		
			ASTM C39 / ASTM C31 / ASTM C192		Compressive strength	< 2000kN	
			ASTM C78 / ASTM C31 / ASTM C192		Flexural Strength		
			ASTM C143		Slump test	≤ 305mm	
			ASTM D979	Asphalt Mixtures	Sampling		
			ASTM D6927 / ASTM D6926		Marshall Stability and Flow	< 20kN	
			ASTM D2041		Theoretical Maximum Specific Gravity and Density	> 0.001	
			ASTM D2172		Quantitative Extraction of Asphalt Binder from Asphalt Mixture	> 0.1%	
			ASTM D4867 / ASTM D6931		Effect of Moisture on Asphalt Concrete Paving Mixtures (Tensile Strength Ratio)	> 0.1%	
			ASTM D2172		Bulk Specific Gravity and Density of Non-Absorptive Compacted Asphalt Mixture	> 0.1g/cm ³	
			ASTM D36 / BS EN13179-1	Bitumen	Softening Point	30 to 157°C	
			ASTM D5		Penetration	0.01 to 50mm	

Accreditation History

Type	Decision Date	Effective Date	Expiry
Initial Accreditation	28-Oct-2021	28-Oct-2021	27-Oct-2025

This schedule is issued subject to the terms and conditions of KENAS Accreditation.

Approved by: 
KENAS CEO/Authorized Representative

Date: 28-Oct-2021



KENYA ACCREDITATION SERVICE

P. O. Box 47400-00100, TEL. +254-787-395679, +254-725-227640 Nairobi, Kenya
Email: info@kenyaaccreditation.org Web: www.kenas.go.ke

SCHEDULE OF ACCREDITATION

SBC UGANDA LIMITED

ISO/IEC 17025:2017

Testing Laboratory Number: **KENAS/TL/67**

PERMANENT ADDRESS OF LABORATORY

Kabaale International Airport, Hoima District, Western Uganda,
P. O. Box 11713,
Kampala. Uganda.

Tel: +256 392 175 246/ +256 789 567 920/ +256 771 301 622

Email Address: sbc@sbc-uganda.com

Laboratory Contact Person

Slobodan Blagojevic

Approved by:


KENAS CEO/Authorized Representative

Date: 28-Oct-2021



KENYA ACCREDITATION SERVICE

P. O. Box 47400-00100, TEL. +254-787-395679, +254-725-227640 Nairobi, Kenya

Email: info@kenyaaccreditation.org Web: www.kenas.go.ke

SCHEDULE OF ACCREDITATION

No.	Testing Field	Type of Test	Test Method	Test Object / Matrix	Test Parameter	Measurement Range	Test Location
1.	Civil Engineering	Physical	ASTM C136	Aggregates/ Rock	Particle Size Distribution	0.1 to 100%	SBC Laboratory and Various Sites
			ASTM C566		Moisture Content	> 0.1%	
			ASTM C128 / ASTM C127		Particle Density	> 0.1g/cm ³	
			ASTM C131		Water Absorption	> 0.1%	
			ASTM C117		Los Angeles Abrasion Value	0.1 to 100%	
			ASTM C4791		Fines Content	0.1 to 100%	
			ASTM C172		Flat and Elongated Particles Sampling	0.1 to 100%	
			ASTM C39 / ASTM C31 / ASTM C192	Concrete / Concrete Cylinders / Concrete Beams	Compressive strength	< 2000kN	
			ASTM C78 / ASTM C31 / ASTM C192		Flexural Strength		
			ASTM C143		Slump test	≤ 305mm	
			ASTM D979	Asphalt Mixtures	Sampling		
			ASTM D6927 / ASTM D6926		Marshall Stability and Flow	< 20kN	
			ASTM D2041		Theoretical Maximum Specific Gravity and Density	> 0.001	
			ASTM D2172		Quantitative Extraction of Asphalt Binder from Asphalt Mixture	> 0.1%	
			ASTM D4867 / ASTM D6931		Effect of Moisture on Asphalt Concrete Paving Mixtures (Tensile Strength Ratio)	> 0.1%	
			ASTM D2172		Bulk Specific Gravity and Density of Non-Absorptive Compacted Asphalt Mixture	> 0.1g/cm ³	
			ASTM D36 / BS EN13179-1	Bitumen	Softening Point	30 to 157°C	
			ASTM D5		Penetration	0.01 to 50mm	

Accreditation History

Type	Decision Date	Effective Date	Expiry
Initial Accreditation	28-Oct-2021	28-Oct-2021	27-Oct-2025

This schedule is issued subject to the terms and conditions of KENAS Accreditation.

Approved by: 
KENAS CEO/Authorized Representative

Date: 28-Oct-2021